
# Crown 85: Visual Perception: A Window to Brain and Behavior



Lecture 1: Neurons and How They Communicate



# brain factoids (from: <u>University of Washington</u>)


weight of human brain	1300-1400 g (3 lbs)		
neurons in brain	100 x 10 <sup>9</sup>		
length of neurons	less than 1mm greater than 1m (spinal cord to foot)		
speed of electrical transmission	0.5 m/sec 120 m/sec (268 mi/hr)		

# the language of the brain is ??? electricity



Your brain is electric. It generates 10 to 12 watts of electricity enough to power a flashlight.

http://www.morphonix.com/software/education/science/brain/game/specimens/electric\_brain.html



5




# Prelude to Lectures on Visual Perception





# Today:

# the Neuron and Electrical Potentials




http://bioserv.fiu.edu/~walterm/Fund\_Sp2004/nervous/neuronanim.gif

7

# different regions of the brain are ≈associated with specific behaviors

#### **The Functions of the Human Brain**



Posterior Speech Cortex (including Wernicke's area)

Primary Visual Cortex

Somatosensory (touch) Movement Speech Vision Hearing

© 2001 HowStuffWorks




Thursday:

Neuroanatomy


**Prof/Provost Camps** 


9


# how does one investigate brain activity and the correlated behavior ??

















next Tuesday:

techniques of neuroscience research

11



### the class objectives:



- Gain a basic understanding of
  - ✓ neurons and how they communicate
  - ✓ structure of the brain
  - ✓ techniques used to investigate brain function



• In order to understand (in some detail)

#### **VISION: How the eye and brain**

- ✓ capture the properties of brightness, form, and color from the outside world
- ✓ change light to electrical signals
- ✓ extract and process visual information
- ✓ enable visual behavior (the perception of form, color, depth, motion, illusion)



13

# Mar T

#### the objectives (continued):

 So that YOU can read and REPORT on contemporary topics in Brain and Behavior

#### e.g.



- ✓ Neuroscience and the Law
- ✓ Neuroscience and magic
- ✓ Neuroscience and art
- ✓ Neurotransmitters and drugs
- ✓ Visual development and amblyopia
- ✓ Mindreading
- ✓ Yadda
- ✓ Yadda
- ✓ Yadda







### the obligations:



#### moi:

- organize and \*\*\* material on vision and brain
- <u>appropriate for SI requirement</u> (and hopefully interesting)



#### you:

- class participation and **office Hours**
- midterm on vision and brain lectures
- short class (oral) report on assigned lecture subtopic
- interview with UCSC neuroscientist and class report on interview
- capstone research project and report

15


#### Crown 85 Winter 2016

**Visual Perception: A Window to Brain and Behavior** 

**Lecture 1- Neurons, Synapses, Neurotransmitters, Action Potentials** 

#### anatomy of a neuron

- Be able to <u>identify</u> the following morphological features of the neuron and to describe the role they play in receiving and transmitting neural impulses.
  - ✓ a. neuron
    - b. cell body (soma)
    - c. dendrite
    - d. axon
    - e. axon hillock
    - f. presynaptic bulb (axon terminal)
    - g. synapse
    - h. myelin sheath
    - i. node of Ranvier




This magnified image shows two neurons. The nerve fibre of one neuron links to the cell body of the other. http://www.aviva.co.uk/health-insurance/home-of-health/medical-centre/medical-encyclopedia/entry/structure-and-function-nerve-cells/

17

# anatomy of a neuron

- 1. Be able to <u>identify</u> the following morphological features of the neuron and to describe the role they play in receiving and transmitting neural impulses.
  - ✓ a. neuron
  - ✓ b. cell body (soma)
    - c. dendrite
    - d. axon
    - e. axon hillock
    - f. presynaptic bulb (axon terminal)
    - g. synapse
    - h. myelin sheath
    - i. node of Ranvier




The cell wall is a lipid bilayer membrane which separates the intracellular fluid from the extracellular space.

http://fourier.eng.hmc.edu/e180/lectures/signal1/node2.html

#### anatomy of a neuron

- Be able to <u>identify</u> the following morphological features of the neuron and to describe the role they play in receiving and transmitting neural impulses.
  - ✓ a. neuron
  - ✓ b. cell body (soma)
  - ✓ c. dendrite
  - ✓ d. axon
    - e. axon hillock
  - f. presynaptic bulb (axon terminal)
     g. synapse
  - ✓ h. myelin sheath
  - ✓ i. node of Ranvier



http://hubpages.com/education/Structure-of-a-Neuron

10

#### anatomy of a neuron

- 1. Be able to <u>identify</u> the following morphological features of the neuron and to describe the role they play in receiving and transmitting neural impulses.
  - ✓ a. neuron
  - ✓ b. cell body (soma)
  - ✓ c. dendrite
  - ✓ d. axon
  - ✓ e. axon hillock
  - ✓ f. presynaptic bulb (axon terminal)
    - g. synapse
  - ✓ h. myelin sheath
  - ✓ i. node of Ranvier





FIGURE 46 A spinal motor neuron with multiple synapses on both soma and dendrites. The axon hillock initial segment has the lowest threshold, and as a result, action potentials tend to originate here.

http://www.apsubiology.org/anatomy/2010/2010\_Exam\_Reviews /Exam\_3\_Review/CH\_11\_Histology\_of\_the\_Neurons\_Axon.htm

#### anatomy of a neuron

- Be able to <u>identify</u> the following morphological features of the neuron and to describe the role they play in receiving and transmitting neural impulses.
  - ✓ a. neuron
  - ✓ b. cell body (soma)
  - ✓ c. dendrite
  - ✓ d. axon
  - ✓ e. axon hillock
  - ✓ f. presynaptic bulb (axon terminal)
  - ✓ g. synapse
  - ✓ h. myelin sheath
  - ✓ i. node of Ranvier




Where and axon terminal makes a functional connection, or synapse, with another cell is called a postsynaptic cell. If the postsynaptic cell is another neuron then the synapse is normally made with a dendrite or the cell body of a postsynaptic neuron. In the most common synapse there is a tiny space, called the synaptic cleft, this separates the axon terminals from the postsynaptic cell.

https://jordan-tesch.wikispaces.com/Chapter+four

2

# functions of parts of a neuron


- Be able to identify the following morphological features of the neuron and to describe the role they play in receiving and transmitting neural impulses.
  - a. neuron
  - b. cell body (soma)
  - c. dendrite
  - d. axon
  - e. axon hillock
  - f. presynaptic bulb (axon terminal)
  - g. synapse
  - h. myelin sheath
  - i. node of Ranvier



http://vanat.cvm.umn.edu/neurHistAtls/pages/neuron1.html

#### functions of parts of a neuron

- Be able to identify the following morphological features of the neuron and to describe the role they play in receiving and transmitting neural impulses.
  - a. neuron
  - b. cell body (soma)
  - c. dendrite
  - d. axon
  - e. axon hillock
  - f. presynaptic bulb (axon terminal)
  - g. synapse
  - h. myelin sheath
  - i. node of Ranvier



#### summary

- Be able to identify the following morphological features of the neuron and to describe the role they play in receiving and transmitting neural impulses.
  - a. neuron
  - b. cell body (soma)
  - c. dendrite
  - d. axon
  - e. axon hillock
  - f. presynaptic bulb (axon terminal)
  - g. synapse
  - h. myelin sheath
  - i. node of Ranvier


#### understand the basic functioning of the neural action potential

- 2. Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:
  - a. ion concentrations inside and outside the neuron (how do they give rise to the membrane potential ?)
  - b. resting potential
  - c. depolarization and hyperpolarization
  - d. action potential

25

#### understand the basic functioning of the neural action potential

- 2. Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:
  - a. ion concentrations inside and outside the neuron (how do they give rise to the membrane potential?)
  - b. resting potential




#### **Simple Picture**

- 1. ion concentrations, [K<sup>+</sup>], [Na<sup>+</sup>], [Cl<sup>-</sup>], [A<sup>-</sup>] differ between intracellular and extracellular fluids
- in resting state cell membrane is permeable only to [K<sup>+</sup>] (slightly permeable through 'leak' channels)
- 3. [K<sup>+</sup>]<sub>i</sub> **high** *inside* diffuses (only a little) to [K<sup>+</sup>]<sub>o</sub> **low** outside (Cl<sup>-</sup> and other <sup>-</sup> don't go along !!)
- 4. leaves net inside ≈–70mV=resting potential

#### understand the basic functioning of the neural action potential

- 2. Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:
  - a. ion concentrations inside and outside the neuron (how do they give rise to the membrane potential?)
  - b. resting potentiaL



- 1 K<sup>+</sup> diffuse down their steep concentration gradient (out of the cell) via leakage channels. Loss of K results in a negative charge on the inner plasma membrane face.
- 2 K+ also move into the cell because they are attracted to the negative charge established on the inner plasma membrane face.
- 3 A negative membrane potential (-90 mV) is established when the movement of K<sup>+</sup> out of the cell equals K+ movement into the cell. At this point, the concentration gradient promoting K+ exit exactly opposes the electrical gradient for K<sup>+</sup> entry.

http://classes.midlandstech.edu/carterp/Courses/bio210/chap03/lecture1.htm


#### more: understand the basic functioning of the neural action potential

- Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:
  - a. ion concentrations inside and outside the neuron (how do they give rise to the membrane potential?)
  - b. resting potential




https://www.youtube.com/watch?v=JApn3gRr8Q8


#### **Additional Excellent Material**



http://www.getbodysmart.com/ap/nervoussystem/n europhysiology/restingpotentials/menu/menu.html



http://sites.sinauer.com/neuroscience5e/anim ations02.01.html



http://sites.sinauer.com/neuroscience5e/animations 02.02.html ADVANCED=CHEM 1C

#### understand the basic functioning of the neural action potential

- 2. Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:
  - a. ion concentrations inside and outside the neuron (how do they give rise to the membrane potential ?)
  - b. resting potential
  - c. depolarization and hyperpolarization
- depolarization: membrane potential becomes more positive
   if sufficiently large will create an action potential (suprathreshold)
   or may be insufficiently large (subthreshold depolarization)



• hyperpolarization: membrane potential becomes more negative can 'counteract' (i.e. cancel, sum with) depolarization but in itself will not lead to action potential


20

# neural action potential

- 2. Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:
  - c. action potential (or 'spike')



https://faculty.washington.edu/chudler/flash/son1.html




http://ep.yimg.com/ca/I/yhst-31600583429934\_2260\_31723678

#### action potential

2. Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:

**Simple Picture** 

c. action potential (or 'spike')



1. Neuron is at resting potential only K<sup>+</sup> leakage channels open


-70mV

http://bioserv.fiu.edu/~walterm/Fund\_Sp2004/nervous/sp06\_exam2\_nervous\_review.htm

3

#### neural action potential


- 2. Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:
  - c. action potential



- Depolarizing input (e.g. synaptic transmission) opens local Na<sup>+</sup> 'voltage gated' channels. Na<sup>+</sup> ions flow in depolarizing the neuron (less negative voltage)
- If local depolarization reaches a threshold (≈-55mV) neuron fully depolarizes ('spikes') to a fixed level (≈ +40mV)

#### action potential

- 2. Understand the basic functioning of the neural action potential and be familiar with the following terms and concepts:
  - c. action potential. d. refractory period




http://bioserv.fiu.edu/~walterm/Fund\_Sp2004/nervous/sp06\_exam2\_nervous\_review.htm


- The K<sup>+</sup> 'voltage gated" channels then open. K<sup>+</sup> ions flow out [re]hyperpolarizing the neuron, returning to the resting potential
- The return to the resting potential and 'recovery' of the voltage-gated Na<sup>+</sup> channels requires a ≈ 3-4ms refractory period during which the neuron can not 'fire' again


33

#### action potential animation (Werblin, UCB)



https://mcb.berkeley.edu/courses/mcb64/action\_potential.html





#### other resources for action potential propagation








https://mcb.berkeley.edu/courses/mcb64/ propagation.html

#### Animation 2.3: The Action Potential



in order to study from action potentials are generated, we will fish insertive electrodes into the neuron: one to record the membrane voltage, and another to inject current that can be used to push the membrane voltage toward more positive (depolarizing) or more negative (hyperpolarizing) voltages.

http://sites.sinauer.com/neuroscience5e/animations02.03.html

3.

# summary of membrane and action potentials

- 2. Understand the basic functioning of the neural membrane and action potentials and be familiar with the following terms and concepts:
  - a. ion concentrations inside and outside the neuron (how do they give rise to the membrane resting potential ?)

[Na<sup>+</sup>]<sub>inside</sub> < [Na<sup>+</sup>]<sub>outside</sub>; [K<sup>+</sup>]<sub>inside</sub> > [K<sup>+</sup>]<sub>outside</sub>; [Cl<sup>-</sup>] and [A<sup>-</sup>] proteins and other negative ions balance +charges

b. resting potential

at 'rest' only [K<sup>+</sup>] 'leaks' inside 
→ outside ; leaving – ions inside with -70mV resting potential

c. depolarization and hyperpolarization

depolarization: membrane potential becomes more positive hyperpolarization: membrane potential becomes more negative

d. action potential

[Na<sup>+</sup>] rushes inside ← outside causing a spike of depolarization (increase of membrane potential to ≈+40mV)

e. refractory period

3-4 msec period after action potential where neuron is unresponsive to further polarizing input

f. propagation of action potential


local action potential opens adjacent Na<sup>+</sup> voltage-gated channels and spike of depolarization moves down axon

#### communication among neurons (passing the message along !!)

- 3. Understand the role each of the following plays in the transmission of electrical signals (information) between neurons
  - a. neurotransmitter
  - b. synaptic vesicle
  - c. synaptic cleft
  - d. postsynaptic receptor
  - e. excitatory and inhibitory synaptic transmission

39


# the structure of the synapse



- a. neurotransmitter
- b. synaptic vesicle
- c. synaptic cleft
- d. postsynaptic receptor

http://www.apsubiology.org/anatomy/2010/2010\_Exam\_Reviews/Exam\_3\_Review/CH\_11\_His tology\_of\_the\_Neurons\_Axon.htm

#### animation of synaptic transmission




https://mcb.berkeley.edu/courses/mcb64/synapse.html

41

#### synaptic transmission (simple picture)

- action potential comes down presynaptic axon causing synaptic vesicles to migrate towards presynaptic membrane
- vesicles fuse with presynaptic membrane and release neurotransmitter
- neurotransmitter travels through synaptic cleft to postsynaptic receptors
- interaction of neurotransmitter with postsynaptic receptor causes
  - depolarization of postsynaptic membrane (excitatory synapse)
     or
  - hyperpolarization of postsynaptic membrane (inhibitory synapse)

#### excitatory vs inhibitory synapses



http://faculty.southwest.tn.edu/rburkett/A&P1%20Muscle%20Physiology.htm

#### **EXCITATORY SYNAPSE:**

**release of** some neurotransmitters results in **depolarization** of postsynaptic neuron (e.g. epinephrine, glutamate)

#### INHIBITORY SYNAPSE:

**release of** other neurotransmitters results in **hyperpolarization** in postsynaptic neuron (e.g. GABA, glycine)

In addition to the neurotransmitter the nature of the postsynaptic receptors can determine whether a synapse is excitatory or inhibitory

43

#### communication among neurons (passing the message along !!)

- Understand the role each of the following plays in the transmission of electrical signals (information) between neurons
- ✓ a. neurotransmitter chemicals released from synapse that cause postsynaptic neuron to depolarize or hyperpolarize
- ✓ b. synaptic vesicle 'containers' holding neurotransmitters in presynaptic bulb
- ✓ c. synaptic cleft
- ✓ d. postsynaptic receptor interaction of neurotransmitter with receptor results in depolarization or hyperpolarization of postsynaptic dendrite
- e. excitatory and inhibitory synaptic transmission

	excitatory synapse (+)		Inhibitory synapse (-)	
presynaptic	depolarizing	hyperpolarizing	depolarizing	hyperpolarizing
postsynaptic	depolarizing	hyperpolarizing	hyperpolarizing	depolarizing


#### neurotransmitters

- 4. "Recognize" the names of the major neurotransmitters and their primary 'effect'
  - a. acetylcholine [Ach]
  - b. norepinephrine (noradrenaline) [NE,NAd]
  - c. dopamine [DA]
  - d. serotonin (5-hydroxytryptamine) [5-HT]
  - e. GABA (gamma-aminobutyric acid)

4.5

#### common neurotransmitters Table 11.1 Actions of Common Neurotransmitters Neurotransmitter **Sites Where Released Principal Actions** "recognize" Acetylcholine Excitatory on skeletal muscles Neuromuscular junctions Excitatory or inhibitory on internal organs know: Autonomic nervous system Norepinephrine Areas of brain and spinal cord Excitatory or inhibitory, depending on receptors Areas of brain Usually inhibitory Serotonin Spinal cord Involved in moods, sleep cycle, appetite Dopamine Excitatory or inhibitory, depending on receptors Parts of peripheral nervous system Plays a role in emotions Areas of brain Spinal cord Major excitatory neurotransmitter in brain Endorphins Many areas in brain Usually inhibitory Natural opiates that inhibit pain Spinal cord Areas of brain Usually inhibitory aminobutyric acid Principal inhibitory neurotransmitter in brain Spinal cord Usually inhibitory Inhibits release of growth hormone Somatostatin Areas of brain Pancreas Copyright @ 2001 Benjamin Cummings, an imprint of Addison Wesley Longman, Inc. http://bioserv.fiu.edu/~walterm/Fund\_Sp2004/nervous/sp06\_exam2\_nervous\_review.htm 46

#### natural neurotransmitters and psychoactive drugs



H CH<sub>3</sub>

N
CH<sub>3</sub>

ECSTASY

Methylenedioxymethamphetamine
(MDMA)

POSSIBLE CAPSTONE PROJECT: Drug Interactions: Synaptic

TRANSMISSION AND OTHER EFFECTS



natural neurotransmitter

chemically similar psychoactive drug

#### neurotransmitters (summary)


- 4. "Recognize" the names of the major neurotransmitters and their primary 'effect'
- a. acetylcholine [Ach] neuron to muscle excitatory
- b. norepinephrine (noradrenaline) [NE,NAd]
- c. dopamine [DA] excitatory or inhibitory, role in emotions
- d. serotonin (5-hydroxytryptamine) [5-HT] inhibitory, role in moods
- e. glutamate primary excitatory transmitter in brain
  - f. GABA (gamma-aminobutyric acid) primary inhibitory transmitter in brain

#### how a neuron integrates and signals information

- Understand the following properties of a neuron's response
  - a. Summation of excitation and inhibition
  - b. Stimulus strength versus firing rate

40

# integration of neuronal signals



#### Signal summation at the axon hillock

A single neuron can receive both excitatory and inhibitory inputs from multiple neurons. All these inputs are added together at the axon hillock. If the EPSPs are strong enough to overcome the IPSPs and reach the threshold of excitation, the neuron will fire.

https://www.boundless.com/biology/textbooks/boundless-biology-textbook/the-nervous-system-35/how-

neurons-communicate-200/signal-summation-764-11997/

#### how a neuron integrates and signals information

- Understand the following properties of a neuron's response
  - a. Summation of excitation and inhibition
  - b. Stimulus strength versus firing rate

the first student REPORT: January 11



51

# short report by. William Yates



#### how a neuron integrates and signals information

- Understand the following properties of a neuron's response
  - a. Summation of excitation and inhibition
  - b. Stimulus strength versus firing rate


53

#### overview

# hhmi BioInteractive




http://www.hhmi.org/biointeractive/molecular-mechanism-synaptic-function



#### hyperpolarization and depolarization

# 'take home' implications:

- a. as hyperpolarizing stimulus increases, neuron become more hyperpolarized as "graded" potentials; NO ACTION POTENTIALS
- b. as depolarizing stimulus increases subthreshold "graded" depolarization increases until threshold is reached and an action potential is generated



# spike rate vs intensity of stimulation

#### what could the 'stimulus' be:

- a. inputs from other neurons via dendrites that are summed at axon hillock
- b. inputs from 'sensory transduction"
- c. input from an artificial electrode (pictured)


#### what is observed:

- a. stimulus too small  $\Rightarrow$  subthreshold depolarization
- b. weak stimulus  $\Rightarrow$  one spike
- c.  $medium stimulus \Rightarrow moderate spike rate$
- d. strong stimulus  $\Rightarrow$  high spike rate

#### 'take home' implications:

- a. very weak stimuli that do not cause neuron to reach threshold will not lead to action potentials
- b. amplitude of action potential depolarization is fixed, does not depend on strength of stimulus
- strength of suprathreshold stimuli coded in firing-rate of neuron strong stimulus ⇒ many spikes per second weak stimulus ⇒ few spikes per second

# combining excitatory and inhibitory signals http://neuroscience.uth.tmc.edu/s1/introduction.html



http://neuroscience.uth.tmc.edu/s1/introduction.html figure 5

59

#### combining excitatory and inhibitory signals

### take home message:

- a. action potentials in presynaptic neuron at excitatory synapse will depolarize postsynaptic neuron with resulting postsynaptic spikes (if excitation is above threshold)
- b. action potentials in presynaptic neuron at inhibitory synapse will hyperpolarize postsynaptic neuron
- c. if excitation and inhibition arrive sufficiently simultaneously, they will cancel in postsynaptic neuron

# Finis Lecture 1

