

# Crown 85: Visual Perception: A Window to Brain and Behavior



**Lecture 4: Light, the Eye, and Visual Transduction**

# lecture 4 outline

---

Crown 85 Winter 2016

Visual Perception: A Window to Brain and Behavior

Lecture 4- Light, the Eye, and Visual Transduction

Reading: [Joy of Perception Master Eye Diagram](#)  
[Eye Brain and Vision](#)  
[Web Vision](#)

Looking: [Structure and Working of Human Eye](#)  
[Anatomy of the Eye \(Sinauer\)](#)  
[Phototransduction \(Sunauer\)](#)  
[Several Werblin Videos on Retinal Function](#)


**OVERVIEW:** In all sensory systems, stimuli originating in the "outside world" convey information about the environment to the organism. Common to the study of all sensory processes is the need to know (a) *how information (e.g., pitch, color, odor, etc.) is coded in the physical properties of the stimulus*, (b) *how the organism captures the physical stimulus (e.g., via the eye, the ear, the nose)*, and (c) *how the organism converts the physical information into electrical signals (sensory transduction) which lead to perception*. The objectives of this lecture are to understand how the physical properties of light are related to the information used in vision, how the various structural parts of the eye convey this information to the retina, and how chemicals in the receptor cells convert light to electrical responses.

- 1. What kinds of information about objects in the environment are conveyed by light and coded by the visual system? What types of information present in light are lost in visual processing (examples of such "lost" information will be discussed in later lectures)?**



## *intensity vs spatial position (image formation)*

---




*color*

---



*motion*

---



## *depth (monocular)*

---





# *depth (binocular)*


---



# *depth (binocular)*

---






## IMAGE FORMATION

*light → object → eye → image on back of the eye (retina)*

- 2. Understand the properties of light and how they are related to brightness and color perception.**
  - a. Wavelength**
  - b. Intensity**
  - c. Luminance**


# *light waves*

---




# ELECTROMAGNETIC WAVE

---



# *properties of a light wave*

---



**amplitude**

**color**

**wavelength**


**brightness**

$$\text{frequency} = \text{speed of light} / \text{wavelength}$$

# *spectrum of visible light*

---

V I B G Y O R



R O Y G B I V



# *full electromagnetic spectrum*

---






Figure 5.4 Eye & Brain (luminance or luminosity)



**2. Understand the properties of light and how they are related to brightness and color perception.**


- ✓ **a. Wavelength**
- ✓ **b. Intensity**
- ✓ **c. Luminance**


**3. Patterns of light coming from an object must be focused to form an image. Know the following terms related to image formation:**

- a. refraction**
- b. accommodation**
- c. diopter**
- d. pupillary reflex**
- e. depth of focus**


# *image formation*

---





no image



pinhole image







image formation using a lens (refraction)









**object  
(outside world)**

**light rays  
from object**

**image  
(on back of eye)**







**object**  
**(outside world)**

**WHAT  
A  
MESS!!  
NO IMAGE**

**pupil**  
**(opening)**



**image**  
**(on back of eye)**



# pinhole image formation



object  
(outside world)





image  
(on back of eye)

OK,  
so pinholes can form images  
but very dim (lose a lot of light).

**CAN THE EYE DO BETTER  
IN  
IMAGE FORMATION ???**




**LENSES  
and  
REFRACTION**

# *refraction*


---

- **refraction: light waves bend when they go between different materials (glass and air; air and water)**




## image formation by a lens

By bending light rays a lens enables ALL the light from one point in the **OBJECT** (e.g. head of arrow) to be **FOCUSED** to one point in the **IMAGE**




<http://www.micro.magnet.fsu.edu/primer/java/lenses/lensvariations/>





# image formation through evolution: figure 3.1 Eye & Brain



Why do animal eyes have pupils of different shapes?

Prof. Marty Banks, et al, UCB  
[NPR URL](#)  
[NPR Podcast](#)  
[Original Literature](#)


~January  
19<sup>th</sup>



# refraction by a lens; strength of a lens

$$\text{diopters} = \frac{1}{\text{focal length [meters]}}$$


convex



shorter fl (greater curvature, fatter)

stronger (more diopters)

concave



negative diopters !!

**3. Patterns of light coming from an object must be focused to form an image. Know the following terms related to image formation:**

- ✓ a. refraction
- b. accommodation
- ✓ c. diopter
- d. pupillary reflex
- e. depth of focus

4. Be able to identify and discuss the function of the various parts of the eye

a. cornea

b. iris-pupil

c. aqueous humor

d. lens

e. ciliary muscle

f. zonula (suspensory ligament)

g. vitreous humor

h. retina

i. choroid


j. sclera

k. fovea

l. macula

m. blind spot

n. optic nerve




Structures of the Eye:  
Anatomy and Functions

Anatomy and Function of  
Parts of the Eye Report

~January  
14<sup>th</sup>


# Anatomy and Function of Parts of the Eye



Ashwin Krishnan  
Crown 85

# The Cornea


- Protects the eye
- 2/3 of the eye's refractive power at ~43 diopters
- Made of layers of protein called collagen
- Continuous with the sclera
- Avascular – no blood vessels




# The Iris and the Pupil

- The IRIS is a ring-shaped, pigmented muscle group around the pupil
- Its biggest job is in light-adaptation
- It also varies the depth of vision by changing the size of the pupil

- The PUPIL is the hole in the middle of the iris through which light enters the eye
- Appears black because all light that enters it is absorbed by the retina
- Magnified by the cornea so it appears larger than it is




Bright Light




Parasympathetic nerve impulse  
Circular muscles contract  
Radial muscles relax  
Pupil constricts  
Less light enters eye

Dim Light



Sympathetic nerve impulse  
Circular muscles relax  
Radial muscles contract  
Pupil dilates  
More light enters eye

# The Aqueous Humor





- Transparent fluid that provides nutrients for the anterior cavity of the eye
- Provides pressure for the cornea and anterior cavity
- Drains through canals of Schlemm
- Mostly proteins and water
  - 98% water
  - rest: amino acids, electrolytes, ascorbic acid, immunoglobulins

# The Lens

- Flexible, transparent, round orb structure that refracts light onto the retina
- Changes shape to focus on objects at varying distances from the eye

ACCOMMODATION – a reflex response of the eye when shifting focus from an object close to the eye to one further away. This involves changing the shape of the lens to increase the focal distance.


- Further away – flatter lens
- Closer up – rounder lens






# The Ciliary Muscle

- A ring of smooth muscle around the lens whose **main function is in accommodation of the lens**
- Part of the ciliary body
- Plays a role in the drainage of the aqueous humor
- Connected to the **zonula**
- When the Ciliary muscle contracts, the zonula lose their tension




# The Zonula (Suspensory Ligaments)

- Ligaments that suspend the lens from the ciliary muscle whose main function is also in accommodation
- Extend from the lens radially, like the spokes of a wheel
- Made of fibrillin (glycoprotein essential for elastic/connective tissues)




# The Vitreous Humor




- A clear, viscous liquid that fills the inside of the posterior cavity of the eye
- **Keeps the retina in place**
- Stagnant, unlike the aqueous humor
- Any blood, other cells, or debris that gets in stays as “floaters”

# The Retina



- A layer of light-sensitive cells in the back of the posterior cavity that take in refracted light and convert it into electrical signals sent to the brain via the optic nerve
- Forms the optic nerve at the blind spot
- Contains photoreceptors (rods and cones)



## Anatomy of retina and posterior eye



- **Rods**: used in low light and for black-and-white vision
- **Cones**: used for color vision and sharp vision; less sensitive to light


# The Choroid

- The vascular layer of the posterior cavity located between the retina and the sclera
- Forms the uveal tract with the iris and ciliary body
- Supplies outer layers of the retina with blood




# The Sclera

- Opaque outer layer of collagen and elastic fiber that protects the eye
- Connects to the 6 extra ocular muscles humans use to move their eyes
- Continuous with the cornea
- Connects with the dura mater (outermost membrane of the brain and spinal cord)
- “white of the eye”




# The Fovea




- A closely packed pit of cones with a diameter of 1.5 mm in the center of the macula that is responsible for visual acuity
- Density of 50 cones per 100 micrometers (147,000 cones per mm<sup>2</sup>)
- Sees the central 2° of visual field

# The Macula




- Oval, highly pigmented center of the human retina with a diameter of ~5.5 mm
- Consists of the fovea, parafoveal belt (immediately around the fovea), and the perifovea
- Prevalence of carotenoid pigments lend a yellow look







# The Blind Spot

- The spot where all ganglion cell axons from the retina combine to form the optic nerve as they leave the eye
- Called the blind spot because there are no rods, cones, or light-sensitive ganglion photoreceptors
- On avg. carries 1-1.2 million neurons from the eye to the brain
- Part of the optic disc




# The Optic Nerve



- Nerve (group) that transmits messages from the retina to the lateral geniculate nuclei
- Ganglion axons and glial cells
- Passes through lamina cribrosa (optic disc)

4. Be able to identify and discuss the function of the various parts of the eye

- ✓ a. cornea
- ✓ b. iris-pupil
- ✓ c. aqueous humor
- ✓ d. lens
- ✓ e. ciliary muscle
- ✓ f. zonula (suspensory ligament)
- ✓ g. vitreous humor
- ✓ h. retina
- ✓ i. choroid
- ✓ j. sclera
- ✓ k. fovea
- ✓ l. macula
- ✓ m. blind spot
- ✓ n. optic nerve




Structures of the Eye:  
Anatomy and Functions

Anatomy and Function of  
Parts of the Eye Report

~January  
14<sup>th</sup>


# joy of perception

---




*iris, pupil, sclera*

---




# parts of the eye

---




*fundus of the eye (fovea, macula, optic nerve, blind spot)*

---



*fundus photo*

---






movietime




# *ciliary muscle and accommodation*

---




(a)



(b)

accommodation and image formation



**3. Patterns of light coming from an object must be focused to form an image. Know the following terms related to image formation:**

- ✓ a. refraction
- ✓ b. accommodation
- ✓ c. diopter
- ✓ d. pupillary reflex
- ✓ e. depth of focus

# visual disorders of the eye (from outline)


---

5. What are the following optical and organic visual disorders:

- a. emmetropia
- b. myopia
- c. hyperopia
- d. astigmatism
- e. presbyopia
- f. Lasik surgery

- g. strabismus
- h. conjunctivitis
- i. cataract
- j. glaucoma
- k. detached retina
- l. keratoconus

- m. amblyopia
- n. diabetic retinopathy
- o. AMD (age related macular degeneration)
- p. Retinitis pigmentosa




## *six muscles of the eye (class report later)*

---



## Normal Vision




<http://www.aravind.org/default/forpatientscontent/refractive>

# myopia: “near sightedness”

---

**lens too strong or eye too long;  
rays focus in front of retina**



<http://www.aravind.org/default/forpatientscontent/refractive>

Image in front the retina

Corrected using Concave lens



Near by images are clear

<https://www.urmc.rochester.edu/eye-institute/lasik/about-vision.aspx>



# hyperopia: “far sightedness”

---

**lens too weak or eye too short;  
rays focus behind retina**




Image behind the retina.

Corrected using a convex lens




Far away images are clear

<http://www.aravind.org/default/forpatientscontent/refractive>

<https://www.urmc.rochester.edu/eye-institute/lasik/about-vision.aspx>


# myopia and hyperopia

---




Rays focus (X) in front of retina

Nearsightedness  
(a)




Concave lens corrects myopic error

Nearsightedness  
(b)



Rays focus (X) behind retina

Farsightedness  
(c)




Convex lens corrects hypermetropic error

Farsightedness  
(d)

# astigmatism

---

cornea has different curvature along differing orientation;  
shaped like a 'football'



<http://www.aravind.org/default/forpatientscontent/refractive>

light rays focus on more than one point on the retina




<https://www.urmc.rochester.edu/eye-institute/lasik/about-vision.aspx>

Images are blurry

# *astigmatism*


---



<http://micro.magnet.fsu.edu/primer/java/aberrations/astigmatism/>  
needs JAVA

# presbyopia (figure 3.10 Eye & Brain)

---




# *lasik surgery*

---




# lasik surgery “bladeless”


---



**STEP I.** Creation of corneal flap with a femtosecond laser



**STEP II.** Corneal flap is lifted off



**STEP III.** An excimer laser provides the vision correction treatment, gently altering the surface of your eye according to pre-determined measurements.



**STEP IV.** The flap is put back into place.

# visual disorders of the eye (from outline)

---

## 5. What are the following optical and organic visual disorders:

- ✓ a. emmetropia
- ✓ b. myopia
- ✓ c. hyperopia
- ✓ d. astigmatism
- ✓ e. presbyopia
- ✓ f. Lasik surgery

g. strabismus

h. conjunctivitis

i. cataract

j. glaucoma

k. detached retina


l. keratoconus

m. amblyopia

n. diabetic retinopathy

o. AMD (age related  
macular degeneration)

p. Retinitis pigmentosa





# VISUAL DISORDERS

SARAH THORNBURG

CROWN 85

VISUAL PERCEPTION


# STRABISMUS

**What is it?** When both eyes are not aligned and so look in different directions.

**What are the symptoms?** Eyes turning outward, inward, upward, or downward consistently or sporadically causing the patient to see double. The eye turned incorrectly can alternate or remain the same or unilateral strabismus.

**What causes it?** Poor eye muscle control and extreme farsightedness caused by any number of the six muscles that control eye movements that are unaligned, feed the brain mixed signals, in turn causing the double vision. If this goes untreated long enough the brain will learn to ignore the visual input from the turned eye completely causing a permanent reduction in vision in this eye.

**How should we treat it?** Eyeglasses, prisms, vision therapy, or eye muscle surgery.




# CONJUNCTIVITIS

**What is it?** The inflammation or infection of the conjunctiva or the outer layer of the eye and the inner eyelid, commonly referred to as pink eye. The conjunctiva is full of blood vessels along the whites of your eye so that it can routinely moisturize your eye, when it becomes inflamed the blood vessels expand causing the patient to appear bloodshot.

**What are the symptoms?** Conjunctivitis can cause burning, itching, excessive tearing, swelling, light sensitivity, redness, and bacterial discharge. Pinkeye usually doesn't affect your vision.


**What causes it?** Pinkeye is most routinely contracted through a viral or bacterial infection, an allergic reaction, or a substance that can cause eye irritation such as contact solution or eye ointments.



**How should we treat it?** Conjunctivitis is easily treatable and often goes away on its own, but if it was contracted through a bacterial infection then it requires antibacterial eye drops or ointment to treat it.



# CATARACT



**What is it?** A cataract is the clouding of the lens of one or both eyes that blurs your vision.





**What are the symptoms?** Common symptoms are blurry vision, double vision, glare, faded perception of colors, poor vision at night, and frequent eyeglass prescription changes.

**What causes it?** Most cataract cases are associated with age related changes in but some contributing factors are diabetes mellitus, alcohol, smoking, certain drugs, UV radiation and nutrient deficiency. While cataracts are almost always found in older patients, some infants are born with cataracts due to their mothers contracting infections such as rubella during pregnancy.

Normal Lens

Lens with Cataract



**How should we treat it?** New glasses and brighter lighting can alleviate temporary symptoms, but surgery is the only option for a permanent solution. The procedure involves removing the cloudy lens and replacing it with an artificial lens called an intraocular lens or IOL.


# GLAUCOMA

**What is it?** Glaucoma is a group of diseases that damage the eye's optic nerve due to a loss of nerve tissue.

**What are the symptoms?** At first no symptoms are present until patients begin losing their peripheral vision causing them to experience permanent tunnel vision. Eventually straight ahead vision degrades into total blindness.

**What causes it?** When the fluid pressure in the eye slowly rises damaging the optic nerve.

**How should we treat it?** There is no cure for glaucoma but you can treat it by using prescription eye drops, medication to reduce intraocular pressure and possibly undergoing surgery.






# DETACHED RETINA

**What is it?** A tearing or separation of the retina, the light sensitive lining at the back of the eye, from the underlying tissue.

**What are the symptoms?** A detached retina can cause floaters and/or flashes of light to frequently enter your field of vision as well as induce the sensation of a curtain being drawn over your field of vision.

**What causes it?** There is a clear gel called vitreous in the center of your eye that is attached to the retina that when clumps form in it can cause floaters. As you age the vitreous might shrink and pull on the retina detaching it and possibly tearing it allowing fluid to seep into the eye.

**How should we treat it?** Retinal detachment is very serious and should be operated on immediately through retinal surgery so as to prevent blindness.



# KERATOCONUS

**What is it?** When the cornea of an eye becomes cone-shaped, thus distorting a person's vision by preventing light from entering the eye and being focused correctly.



**What are the symptoms?** Keratoconus can cause a slight blurring and distortion of vision at first, then after about 10-20 years the cone-shaped cornea becomes pronounced enough that it creates a small crack which is eventually replaced by scar tissue.

**What causes it?** The cause of keratoconus is almost always unknown, but sometimes it runs in families and is more common with patients with certain medical conditions.

**How should we treat it?** There is no way to stop the disorder, but eyeglasses to correct vision during the initial period are often prescribed and in some cases a corneal transplant is necessary.



Normal Cornea    Keratoconus





# AMBLYOPIA

**What is it?** Amblyopia commonly referred to as lazy eye is the loss or lack of development of the central vision of one eye that is unrelated to any eye health problems and is not correctable with eyeglasses


**What are the symptoms?** Symptoms are not always apparent but can include favoring one eye and/or bumping into things on one side repeatedly.

**What causes it?** A failure to use both eyes together often caused by a large degree of farsightedness or nearsightedness between eyes.


**How should we treat it?** Lazy eye can be treated with eyeglasses, prisms, vision therapy, and eye patching.



Esotropia




Exotropia



Hypertropia



# DIABETIC RETINOPATHY



**What is it?** A disease that patients with diabetes are at risk to develop which damages the light sensitive retina causing it to leak fluid and induce blindness in both eyes.

**What are the symptoms?** Blurry or double vision, dark spots or floaters, rings, blank spots, or flashing lights, pain or pressure in one or both of your eyes, and trouble seeing out of the corner of your eye.

**What causes it?** When a diabetic's blood pressure remains high for too long it can damage the blood vessels in the retina.

**How should we treat it?** Diabetic Retinopathy can be treated with lasers or surgery with follow-up care.



# AGE RELATED MACULAR DEGENERATION (AMD)

**What is it?** The deterioration of the eye's macula the small part of your retina that is responsible for central vision and detail.


**What are the symptoms?** Blurriness, dark areas or distortion in your central vision, and possibly even permanent loss of your central vision.

**What causes it?** In Wet AMD, abnormal blood vessels grow under the macula and leak blood and fluid. The far more common Dry AMD manifests itself when the light sensitive cells in the macula break down causing you to gradually lose your central vision.


**How should we treat it?** Wet AMD can be treated with Photodynamic therapy (PDT) and Dry AMD can be treated through nutrition, but neither can be cured.



*A healthy retina.*




*A retina showing "dry" macular degeneration with deposits, called drusen.*




*"Wet" macular degeneration revealing scarring and hemorrhaging on the retina.*

# RETINITIS PIGMENTOSA



**What is it?** A group of inherited diseases that attack the light-sensitive rods and cones in the back of our eyes

**What are the symptoms?** At first, decreased night vision, loss of peripheral vision and eventual blindness. The initial loss of rods causes the loss of peripheral vision while the degeneration of the cones causes a loss of color perception and central reading vision




**What causes it?** Retinitis Pigmentosa is a genetic disease.


**How should we treat it?** Unfortunately there is no cure for Retinitis Pigmentosa, but patients often use low vision aids to guide them through day-to-day life.

# *cataracts*

---




**Normal**



**Cataract**



# *keratoconus*

---



# conjunctivitis (conditions known as 'pink-eye')

## Conjunctivitis



<http://www.patient.co.uk/showdoc/Pilsin/113.gif>


[http://images.google.com/images?q=tbn:rw3EKTbHO4VIZM:www.webmd.com/NR/rdonlyres/e2gruarjh\\_hbqtoyqzlkqgy3dkpn635vywzr26k3sowzwia4q2pexhdb4q2wgg5hu346etv36x45j4rzb5rlyyqofa/ConjunctivitisFinal.jpg](http://images.google.com/images?q=tbn:rw3EKTbHO4VIZM:www.webmd.com/NR/rdonlyres/e2gruarjh_hbqtoyqzlkqgy3dkpn635vywzr26k3sowzwia4q2pexhdb4q2wgg5hu346etv36x45j4rzb5rlyyqofa/ConjunctivitisFinal.jpg)

# *diabetic retinopathy*

---


**Blood  
Hemorrhages  
(Leaks)**

**Hardened  
Material**



**Before laser photocoagulation**

**Laser  
Scars**



**After laser photocoagulation**

# ARM (age-related macular degeneration)

---

**Drusen**



[www.nei.nih.gov/health/images/normal\\_vision\\_color.jpg](http://www.nei.nih.gov/health/images/normal_vision_color.jpg)

[http://www.nei.nih.gov/health/images/armd\\_color.jpg](http://www.nei.nih.gov/health/images/armd_color.jpg)




# visual disorders of the eye (from outline)

---

## 5. What are the following optical and organic visual disorders:


- ✓ a. emmetropia
- ✓ b. myopia
- ✓ c. hyperopia
- ✓ d. astigmatism
- ✓ e. presbyopia
- ✓ f. Lasik surgery
- ✓ g. strabismus
- ✓ h. conjunctivitis
- ✓ i. cataract
- ✓ j. glaucoma
- ✓ k. detached retina
- ✓ l. keratoconus
- ✓ m. amblyopia
- ✓ n. diabetic retinopathy
- ✓ o. AMD (age related macular degeneration)
- ✓ p. Retinitis pigmentosa




- 6. Describe the process of visual transduction, being sure to understand:**
  - a. 11-cis and all-trans retinal**
  - b. rhodopsin**
  - c. vitamin A and regeneration**

# rod and cone

---



# rod and cone



# *rhodopsin crystal structure*





Fig. 3. Schematic diagram of Rhodopsin in the outer segment discs. When the outer segments are magnified further, stacked membrane disks are visible inside. The disks are studded with thousands of rhodopsin complexes. Each rhodopsin consists of a membrane-traversing protein with a retinal molecule embedded in its core.


*intradiscal side*




*intracellular cytoplasmic side*

Palczewski, et. al., (2000),  
*Science*, 289, 739-745.


*phototransduction: cis- to trans- photoisomerization of retinal*



# *photoisomerization of rhodopsin*



# regeneration cycle



Rhodopsin Leaves Rods  
Werblin, UCB


<https://mcb.berkeley.edu/courses/mcb64/Retina.html>



- 6. Describe the process of visual transduction, being sure to understand:**
- ✓ **a. 11-cis and all-trans retinal**
  - ✓ **b. rhodopsin**
  - ✓ **c. vitamin A and regeneration**

*Finis*

# The Fovea



Credit: National Eye Institute, National Institutes of Health

- A closely packed pit of cones with a diameter of 1.5 mm in the center of the macula that is responsible for visual acuity
- Density of 50 cones per 100 micrometers (147,000 cones per  $\text{mm}^2$ )
- Sees the central  $2^\circ$  of visual field

